OPTIONS

Seat and backrest
- soft wood
- hardwood of European origin
- hard wood (oil finish)
- premium hard wood

Methods of installation
- attached by bolts to foundation

Additional table
- none
- left side
- right side
- both sides

Armrests
- none
- carbon steel
- stainless steel

DESCRIPTION

Domino bench 90° is a modern style seating designed by ZANO Street Furniture. The construction of this model was based on 90° angle. Thanks to this shape you can arrange a city benches of any size, shape and length. Domino seating can surround trees, monuments or main squares and playgrounds. It is functional and innovative. Presented bench is made from high quality materials – black or stainless steel and wood. It can be used inside and outside. What is more, thanks to the stainless steel Domino bench can cope with the rigours of any environment. It is a durable, maintenance- free and long-life material. Domino 90° bench can stand as an individual component or together with other elements of this street furniture line.

GENERAL TECHNICAL DATA

Weight
- soft wood: 78 kg
- hardwood of European origin: 100 kg

Dimensions
- width: 221 cm
- height: 81 cm
- depth: 161 cm
- seat height: 45 cm
- Bench bending angle: 90°

Materials
- wood: European coniferous or exotic
- steel: carbon or stainless

ZANO

Product: Domino bench 90
Catalog number: **02.040.2**
Designer:
Justyna Derewiaka

220 cm

45 cm

80 cm

275 cm

149 cm

90 cm

45 cm

4x

td>

NOTE: The drawings do not reflect the actual dimensions of the foundation. They are only exemplary assembly schemes taking into account the type of anchoring and the substrate material to which the furniture is to be fixed.

The size of the foundation depends on the local foundation conditions.

A

INSTALLATION INTO PAVING WITH FOUNDATION

Description of the assembly

1. ZANO product
2. Quick-action fastener or chemical anchor
3. Stone paving / concrete paving / stone slabs / concrete slabs
4. Sand ballast (approx. 2 - 4 cm)
5. Stone aggregate substructure
6. Concrete foundation, class C16/20 (top surface concrete 10 cm below paving surface)
7. Ground

B

INSTALLATION TO PAVING

Description of the assembly

1. ZANO product
2. Quick-action fastener or chemical anchor
3. Stone paving / concrete paving / stone slabs / concrete slabs
4. Sand ballast (approx. 2 - 4 cm)
5. Stone aggregate substructure
6. Ground

C

CONCRETE / ASPHALT MOUNTING

Description of the assembly

1. ZANO product
2. Quick-action fastener or chemical anchor
3. Fixed hardened surface e.g. concrete or asphalt
4. Concrete foundation, class C16/20 (top surface concrete 10 cm below paving surface)
5. Stone aggregate substructure
6. Sand ballast (approx. 2 - 4 cm)
7. Ground

D

MOUNTING TO CONCRETE FOUNDATION

Description of the assembly

1. ZANO product
2. Quick-action fastener or chemical anchor
3. Concrete foundation, class C16/20 (top surface concrete 10 cm below paving surface)
4. Ground